

TABELA ZESTAWCZA ZJAZDÓW

Nr zjazdu	Pikietaż	Dł. przepustu	Średnica przepustu	Strona	Nawierzchnia			Pole powierzchni			Obrzeże	Krawężnik	Długość zjazdu H	Nr działki
					Szerokość jezdni L	Szerokość zjazdu B	Rodzaj	A	K	Kb				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	km	m	cm	P/L	m	m	A-asfalt K- kruszywo Kb-kostka betonowa	m ²	m ²	m ²	m	m	m	
Z1	00+027,72	-	-	L	4,0	6,3	K		7,4				1,5	234
Z2	00+048,16	-	-	L	4,0	6,7	K		12,0				2,5	235
Z3	00+058,37	-	-	P	4,0	6,3	Kb			7,4	8,0		1,5	171/1, dostęp do dz. 172/1
Z4	00+061,60	-	-	L	4,0	6,7	K		12,0				2,5	236
Z5	00+088,85	-	-	L	4,0	6,3	A	7,4					1,5	237
Z6	00+101,78	-	-	P	4,0	6,7	K		12,0				2,5	173/4
Z7	00+127,86	-	-	P	4,0	6,7	A	12,0					2,5	174/1
Z8	00+127,86	-	-	L	4,0	6,3	Kb			7,4	8,0		1,5	238
Z9	00+161,74	-	-	P	4,0	6,7	A	12,0					2,5	175/4, dostęp do dz. 175/5
Z10	00+164,30	-	-	L	4,0	6,7	K		12,0				2,5	239/3
Z11	00+207,67	-	-	L	4,0	6,3	A	7,4					1,5	240
Z12	00+245,07	6,0	40	P	4,0	10,0	K		16,8				3,2	590
Z13	00+555,81	6,0	40	P	4,0	10,0	K		16,8				3,2	633, 41/1
S1	00+824,31	-	-	P	4,0	-	A	49,0					8,2	352/2
S2	00+825,27	-	-	L	4,0	-	A	53,0					9,2	352/1
Z14	01+352,56	6,0	40	P	4,0	10,0	K		16,8				3,2	360
Z15	01+421,59	6,0	40	L	4,0	10,0	K		16,8				3,2	355
Z16	01+778,37	6,0	40	L	4,0	10,0	K		16,8				3,2	356
Z17	01+786,64	-	-	P	4,0	6,7	K		12,9				2,7	357
Z18	01+853,40	6,0	40	P	4,0	10,0	K		16,8				3,2	305
Z19	01+875,44	-	-	L	4,0	6,7	K		12,0				2,5	294
Z20	01+919,40	-	-	L	4,0	6,7	K		12,0				2,5	295
Z21	01+949,85	-	-	L	4,0	6,7	K		12,0				2,5	296
Z22	01+959,22	6,0	40	P	4,0	10,0	K		16,8				3,2	308
Z23	01+969,11	-	-	L	4,0	6,7	K		12,0				2,5	297
Z24	02+004,86	-	-	L	4,0	5,9	K		4,8				1,0	298
Z25	02+110,20	-	-	P	4,0	6,7	K		12,0				2,5	315
Z26	02+193,27	-	-	P	4,0	6,7	K		12,0				2,5	318
Z27	02+251,81	-	-	L	4,0	7,4	K		14,9				3,0	1, dostęp do dz. 2
Z28	02+264,95	-	-	P	4,0	6,7	K		12,0				2,5	358
Z29	02+325,57	-	-	P	4,0	6,3	K		7,4				1,5	137
Z30	02+327,41	-	-	L	4,0	6,6	K		9,8				2,0	5

TABELA ZESTAWCZA ZJAZDÓW c. d.

Nr zjazdu	Pikietaż	Dł. przepustu	Średnica przepustu	Strona	Nawierzchnia			Pole powierzchni			Obrzeże	Krawężnik	Długość zjazdu H	Nr działki
					Szerokość jezdni L	Szerokość zjazdu B	Rodzaj	A	K	Kb				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	km	m	cm	P/L	m	m	A-asfalt K- kruszywo Kb-kostka betonowa	m ²	m ²	m ²	m	m	m	
Z31	02+363,55	-	-	P	4,0	6,7	K		12,0				2,5	138
Z32	02+366,53	-	-	L	4,0	6,7	K		12,0				2,5	11/3, dostęp do dz. 10/3, 12/3
Z33	02+404,34	-	-	L	4,0	6,7	K		12,0				2,5	15/2, dostęp do dz. 14
Z34	02+412,18	-	-	P	4,0	6,7	K		12,0				2,5	444
Z35	02+461,53	-	-	L	4,0	6,7	K		12,0				2,5	18
Z36	02+523,37	-	-	P	4,0	6,7	K		12,0				2,5	443
Z37	02+542,85	-	-	P	4,0	6,7	K		12,0				2,5	349
Z38	02+549,26	-	-	L	4,0	6,6	K		9,8				2,0	73
Z39	02+600,60	-	-	P	4,0	6,7	K		12,0				2,5	351
Z40	02+601,25	-	-	L	4,0	6,7	K		12,0				2,5	74, dostęp do dz. 75
Z41	02+630,95	-	-	L	4,0	6,3	K		7,4				1,5	76
Z42	02+635,42	-	-	P	4,0	6,7	K		12,0				2,5	352
Z43	02+642,12	-	-	L	4,0	6,3	K		7,4				1,5	437/1
Z44	02+654,61	-	-	P	4,0	6,7	K		12,0				2,5	353/1
Z45	02+664,34	-	-	L	4,0	5,9	K		4,8				1,0	77
Z46	02+684,74	-	-	P	4,0	6,7	K		12,0				2,5	436
Z47	02+713,32	-	-	P	4,0	6,7	K		12,0				2,5	354, 355
Z48	02+747,54	-	-	L	4,0	6,7	K		12,0				2,5	79
Z49	02+750,93	-	-	P	4,0	6,7	K		12,0				2,5	356
Z50	02+771,17	-	-	P	4,0	6,6	K		9,8				2,0	357
Z51	02+837,33	-	-	P	4,0	6,6	K		9,8				2,0	360/1
Z52	02+852,34	-	-	P	4,0	6,6	K		9,8				2,0	360/2
Z53	02+857,02	-	-	L	4,0	6,7	Kb			12,0	10,0		2,5	81
Z54	02+887,96	-	-	P	4,0	6,6	K		9,8				2,0	361
Z55	02+897,47	-	-	L	4,0	6,7	K		12,0				2,5	84
Z56	02+909,34	-	-	P	4,0	6,6	K		9,8				2,0	362
Z57	03+002,05	-	-	P	4,0	6,7	K		12,0				2,5	364
Z58	03+006,22	-	-	L	4,0	6,7	K		12,0				2,5	87
Z59	03+020,11	-	-	L	4,0	6,7	K		12,0				2,5	441
Z60	03+029,04	-	-	P	4,0	6,6	K		9,8				2,0	365
Z61	03+030,11	-	-	L	4,0	6,7	K		12,0				2,5	88
Z62	03+070,15	-	-	P	4,0	6,3	K		7,4				1,5	366

TABELA ZESTAWCZA ZJAZDÓW c. d.

Nr zjazdu	Pikietaż	Dł. przepustu	Średnica przepustu	Strona	Nawierzchnia			Pole powierzchni			Obrzeże	Krawężnik	Długość zjazdu H	Nr działki
					Szerokość jezdni L	Szerokość zjazdu B	Rodzaj	A	K	Kb				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	km	m	cm	P/L	m	m	A-asfalt K- kruszywo Kb-kostka betonowa	m ²	m ²	m ²	m	m	m	
Z63	03+092,46	-	-	P	4,0	6,3	K		7,4				1,5	367
Z64	03+096,50	-	-	L	4,0	6,7	K		12,0				2,5	89
Z65	03+119,45	-	-	L	4,0	6,7	K		12,0				2,5	90
Z66	03+145,17	-	-	P	4,0	5,9	K		4,8				1,0	368
Z67	03+158,62	-	-	L	4,0	6,7	Kb			12,0	10,0		2,5	90
Z68	03+188,68	-	-	P	4,0	6,7	K		12,0				2,5	369
Z69	03+265,05	-	-	L	4,0	6,6	K		9,8				2,0	93
Z70	03+284,55	-	-	P	4,0	6,3	K		7,4				1,5	372
Z71	03+297,32	-	-	L	4,0	6,7	K		12,0				2,5	94
Z72	03+326,07	-	-	L	4,0	6,7	K		12,0				2,5	95
Z73	03+348,59	-	-	P	4,0	5,2	K		2,3				0,5	374
Z74	03+373,47	-	-	L	4,0	6,6	K		9,8				2,0	97
Z75	03+392,66	-	-	P	4,0	5,2	K		2,3				0,5	443
Z76	03+402,45	-	-	P	4,0	5,2	K		2,3				0,5	412
Z77	03+458,27	-	-	L	4,0	6,7	K		12,0				2,5	438
Z78	03+560,36	6,0	40	P	4,0	10,0	K		16,8				3,2	415
Z79	03+652,36	6,0	40	L	4,0	10,0	K		16,8				3,2	113, 114
Z80	04+094,17	6,0	40	P	4,0	10,0	K		16,8				3,2	425
Z81	04+109,60	6,0	40	L	4,0	10,0	K		16,8				3,2	126/3
Z82	04+482,34	6,0	40	L	4,0	10,0	K		16,8				3,2	131
Z83	04+560,15	6,0	40	P	4,0	10,0	K		16,8				3,2	218
Z84	04+564,49	6,0	40	L	4,0	10,0	K		16,8				3,2	222
Z85	04+607,65	6,0	40	P	4,0	10,0	K		16,8				3,2	217/2
Z86	04+612,30	6,0	40	L	4,0	10,0	K		16,8				3,2	220/2
Z87	05+026,84	-	-	P	4,0	10,0	K		15,9				3,0	109
Z88	05+026,84	-	-	L	4,0	10,0	K		15,9				3,0	139
Z89	05+039,95	-	-	L	4,0	6,7	K		12,0				2,5	138
Z90	05+042,68	-	-	P	4,0	6,3	Kb			7,4	8,0		1,5	108
Z91	05+074,85	-	-	P	4,0	5,9	K		4,8				1,0	107
Z92	05+107,78	-	-	P	4,0	5,2	K		2,3				0,5	106
Z93	05+109,55	-	-	L	4,0	6,7	K		12,0				2,5	136
Z94	05+146,61	-	-	L	4,0	6,7	K		12,0				2,5	135

TABELA ZESTAWCZA ZJAZDÓW c. d.

Nr zjazdu	Pikietaż	Dł. przepustu	Średnica przepustu	Strona	Nawierzchnia			Pole powierzchni			Obrzeże	Krawężnik	Długość zjazdu H	Nr działki
					Szerokość jezdni L	Szerokość zjazdu B	Rodzaj	A	K	Kb				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	km	m	cm	P/L	m	m	A-asfalt K- kruszywo Kb-kostka betonowa	m ²	m ²	m ²	m	m	m	
Z95	05+205,79	-	-	P	4,0	6,7	K		12,0				2,5	103
Z96	05+209,47	-	-	L	4,0	5,9	K		4,8				1,0	133
Z97	05+233,68	-	-	P	4,0	6,7	K		12,0				2,5	102
Z98	05+269,83	-	-	L	4,0	6,6	K		9,8				2,0	131/1
Z99	05+313,27	-	-	P	4,0	6,3	Kb			7,4	8,0		1,5	99
Z100	05+387,85	-	-	L	4,0	6,3	Kb			7,4	8,0		1,5	126
Z101	05+393,19	-	-	P	4,0	6,7	Kb			12,0	10,0		2,5	96
Z102	05+403,96	-	-	L	4,0	6,6	K		9,8				2,0	125
Z103	05+432,28	-	-	P	4,0	6,6	K		9,8				2,0	94
Z104	05+452,24	-	-	L	4,0	6,3	K		7,4				1,5	123
Z105	05+492,84	-	-	P	4,0	6,6	K		9,8				2,0	110
Z106	05+541,15	-	-	L	4,0	6,3	K		7,4				1,5	120
Z107	05+567,07	-	-	L	4,0	6,7	K		12,0				2,5	119
Z108	05+586,71	-	-	L	4,0	6,7	Kb			12,0	10,0		2,5	118
Z109	05+722,82	-	-	P	4,0	6,6	K		9,8				2,0	84, dostęp do dz. 85/1
Z110	05+727,77	-	-	L	4,0	5,9	K		4,8				1,0	114
Z111	05+784,03	-	-	P	4,0	6,3	Kb			7,4	8,0		1,5	83
Z112	05+811,46	-	-	P	4,0	6,3	Kb			7,4	8,0		1,5	82
Z113	05+836,15	-	-	L	4,0	6,7	K		12,0				2,5	111
Z114	05+858,72	-	-	P	4,0	6,7	K		12,0				2,5	81
Z115	05+902,58	-	-	P	4,0	6,6	K		9,8				2,0	62
Z116	06+010,74	6,0	40	P	4,0	10,0	K		16,8				3,2	27
Z117	06+033,53	6,0	40	L	4,0	10,0	K		16,8				3,2	80
Z118	06+263,64	6,0	40	P	4,0	10,0	K		16,8				3,2	306
Z119	06+838,65	-	-	P	4,0	10,0	K		15,9				3,0	304/3
Z120	06+854,40	-	-	P	4,0	10,0	K		15,9				3,0	305